



Think Different
Try Positive.....

POSITIVE[®]

CHIP BOARDS INDIA [P] LIMITED

www.pcboardindia.com

Prompt **SERVICES**

Wide **CLIENTELE**

Use of **QUALITY MATERIALS**

Qualified **TEAM**

Customized **FACILITIES**

State of the **ART INFRASTRUCTURE**

Plain
Particle Board

Pre - Laminated
Particle Board



Positive Chipboards India (P) Ltd.) is one of the leading manufacturer of excellent quality Wood Based Particle Boards in South India. Our particle board is available with high quality melamine resin coated decors in different types and thickness from 9mm to 26mm

Positive Particle boards are the most advanced engineered particle boards used in several applications throughout the interior works and furniture industries. The factory is fitted with most modernized and automated machineries resulting in consisted quality products with higher yield. Proven and measurable operational systems are placed to ensure quality as well as maximum output.

We never compromised the quality aspects and try our best to enhance the quality of our products and services, in order to meet the diversified demand of our clients. Our Quality analysts keep vigil eye on each stage and make sure that chance of flaws are reduced to maximum. We strongly believe in providing the best to our customers hence communicate with them on regular and try to serve them accordingly.

We have been able to survive in the market despite server competition because of the efforts made by our professionals. We ensure that customers are served in an efficient manner, with best quality products and efficient services.


SHADES (MATT / SEUDE / GLOSSY)




PC 124 - COACH WOOD



PC 125 - COACH WOOD DARK



PC 126 - WHITE EBONY




PC 100 - BENNET OAK



PC 169 - BLACK DIAMOND



PC 167 - YELLOW CHATAI



PC 139 - CACTUS FLOWER




PC 099 - MODISH BAGE



PC 110 - EUCALYPTUS BROWN



PC 222 - DARK PEARL (N)



PC 192 - SUPER WHITE



PC 098 - MODISH BROWN

A2



FINISH (MATT / SEUDE / GLOSSY)



PC 107 - CROSS LINE DARK



PC 142 - SILK ROUTE RED




PC 143 - SILK ROUTE BAIGE



PC 144 - SILK ROUTE GOLD



PC 106 - CROSS LINE LIGHT




PC 170 - BOADY LINE BROWN



PC 140 - GOLDEN CORE



PC 217 - PANAMA DARK



PC 108 - AVALON TEAK



PC 180 - DARK CHOCO



PC 149 - CHESNUT



PC 148 - EMERALD WOOD

FINISH (MATT / SEUDE / GLOSSY)



PC 210 - PECAN DARK



PC 209 - PECAN LIGHT



PC 215 - ROLEX ASH LIGHT



PC 105 - FABRIC DARK



PC 213 - NEW COUNTRY LIGHT



PC 218 - CHOCO LIGHT




PC 219 - RIVER OAK BROWN



PC 104 - FABRIC BROWN



PC 214 - LIGHT SLITHER




PC 171 - LINEN GRAY



PC168 - LINEN BROWN




PC 103 - FABRIC LIGHT




FINISH (MATT / SEUDE / GLOSSY)



PC 160 - BLACK EBONY



PC 161 - NEW COUNTRY DARK



PC 162 - OUTLINE BLACK



PC 163 - OXFORD CHERRY



PC 164 - ROSE WOOD



PC 165 - SAFE SAW CUT



PC 184 - NATURAL TEAK



PC 185 - BROWN TEAK



PC 186 - NAINA TEAK

FINISH (MATT / SEUDE / GLOSSY)



PC 175 - FLOWER WENGE BLACK




PC 176 - ST. WENGE LIGHT



PC 177 - ST. WENGE DARK



PC 181 - SAW CUT LIGHT



PC182 - SAW CUT DARK



PC183 - BAVARIAN BEACH



PC 190 - FROSTY WHITE



PC173 - FLOWER WENGE LIGHT



PC174 - FLOWER WENGE DARK





SHADES (MATT / SEUDE / GLOSSY)



PC 145 - SWISS EBONY



PC 146 - FIGURE WOOD LIGHT



PC 147 - FIGURE WOOD DARK



PC 205 - RIVER OAK DARK



PC 221 - MARBLE BAIGE



PC 220 - GOLDEN PEARL



PC 206 - PANAMA LIGHT



PC 207 - SQUIRREL BROWN



PC 208 - SQUIRREL GREY (N)

SHADES (MATT / SEUDE / GLOSSY)



PC 151 - WALNUT



PC 152 - EUROPEAN WALNUT



PC 153 - AMERICAN WALNUT



PC 154 - AMERICAN WALNUT LIGHT



PC 155 - REGAL ARCH



PC 156 - ROLEX ASH



PC 157 - MAHAGONY



PC 158 - KAYA MAHAGONY



PC 159 - HYLAND PINE



FINISH (MATT / SEUDE / GLOSSY)



PC 115- PINE RED



PC 116- ANTIQUE OAK



PC 117- ZARI KOTA



PC 118- EETTY



PC 119- ASTER FLOWER



PC 120- CANYON OAK GRAY



PC 121- CANYON OAK BROWN



PC 122- PINE BROWN




PC 123- URBEN TEAK

SHADES (MATT / SEUDE / GLOSSY)



PC 178 - BLACK FLOWER



PC 179 - BROWN FLOWER



PC 150 - GREY FLOWER



PC 166 - PINK FLOWER



PC 211 - BLUE FLOWER



PC 212 - GREEN FLOWER



PC 127 - RED FLOWER



PC 128 - ORANGE FLOWER



PC 129 - PURPLE FLOWER

FANCY SHADES



SOLID SHADES

FINISH (MATT / SEUDE / GLOSSY)




PC 187 - RED



PC 188 - GREEN



PC 189 - BLUE




PC 172 - SUPER BLACK




PC 191 - YELLOW



PC 131 - PINK



PC 193 - SILVER GRAY



PC 194 - IVORY



PC 195 - ORANGE

FINISH (MATT / SEUDE / GLOSSY)



PC 196 - BRUNETTE



PC 197- GOLDEN TEAK



PC 198 - SQUIRREL GREY



PC 199 - ONYX BLACK



PC 200 - WHITE PEARL



PC 201 - FAWN



PC 202 - CHARCOAL



PC 203 - PALE GOLD



PC 204 - SMOKE

PREMIUM SHADES



PREMIUM SHADES

FINISH (MATT / SEUDE / GLOSSY)



PC 132 - TRAGOLVE



PC 133 - SWEDISH OAK (N)



PC 134 - OLIVE WOOD



PC 135 - KNOTY BEACH



PC 136 - SAWN MANGO LIGHT




PC 137 - SAWN MANGO DARK



PC 138 - CHOCKO BROWN



PC 141 - ELEGANT DARK (N)



PC 216 - DARK SLITHER (N)

Plain
Particle Board

Pre - Laminated
Particle Board

PHYSICAL AND MECHANICAL PROPERTIES

#	PROPERTIES	Unit	Plain Particle Boards IS: 3087		Pre-Laminated Particle Boards IS: 12823	
			Grade-II	Grade-I	Grade-II	Grade-I
1	Density	Kg/m ³	500-900	500-900	500-900	500-900
2	Density Variation	%	+/- 10	+/- 10	+/- 10	+/- 10
3	Moisture Content	%	5 to 15	5 to 15	5 to 15	5 to 15
4	Water Adsorption 2Hours 24 Hours	%	40 to 80	10 to 20	15 to 30	7 to 15
5	Thickness Swelling 2Hours Soaking, Thickness Length Width	%	12 05 05	8 05 05	8	5
6	Swelling Due to Surface Absorption	%	9	6		
7	Tensile strength perpendicular To surface Up to 20mm thickens above 20mm thickness	N/mm ²	0.3 0.3	0.45 0.40	0.3 0.3	0.45 0.40
8	Screw withdrawal strength Face Edge	N	1250 700	1250 850	1250 750	1250 800
9	Abrasion Resistance 1) Type-1 2) Type-2 3) Type-3	Revolution			450 250 80	450 250 80



AVAILABLE THICKNESS

IN 8 x 4

9 mm 12 mm 15 mm 17 mm 18 mm 26 mm



DEFECT FREE



INTERNATIONAL TECHNOLOGY



ECO FRIENDLY



TERMITE, BORER FUNGUS RESISTANCE



DIMENSIONAL STABILITY



PRODUCT CONSISTENCY



QUALITY CHECKED



GUARANTEED THICKNESS



EASY TO INSTALL

POSITIVE[®]
CHIP BOARDS INDIA [P] LIMITED
www.pcboardindia.com

☎ 0484 265 71 92 📞 +91 9207 789 995 📞 +91 9746 655 550

Rubber Park, Irappuram, Valayanchirangara, Perumbavoor, Ernakulam Dist. Kerala - 683 556
Ph: +91 484 2657 192, E-mail: info@pcboardindia.com, Web: www.pcboardindia.com